

CUNO-405.1
10/772,645



PATENT

IFJ

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Rita ANDREOLI et al.) Group Art Unit: 1634
)
Serial No.: 10/772,645)
)
Filing Date: February 5, 2004)
)
Title: LOW FLUORESCENCE NYLON/GLASS)
COMPOSITES FOR MICRO-ANALYTICAL)
DIAGNOSTIC APPLICATIONS)

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

STATUS INQUIRY

S I R:

The above-identified patent application was filed approximately two years ago and to date, Applicants have not yet received a communication from an Examiner.

Applicants respectfully request a status regarding this application.

Date:

1/23/08

Respectfully submitted,

R. Thomas Payne
Reg. No. 30,674

CUNO Incorporated, a 3M Company
400 Research Parkway
P.O. Box 1018
Meriden CT. 06450-1018
T - (203) 238-8737
F - (203) 238-8716
rpayne2@mmm.com

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below.

Date

1-23-06

Mary Rudaitis